


ACE
SUPER INPEX
AN ISO 9001 - 2008 COMPANY

PROTECTIVE ENGINEERED CONNECTIONS



CONDUITS
&
CONDUIT ACCESSORIES

PRODUCT RANGE

- Lightning Protection, Earthing & Grounding Accessories, Conductors (In Copper & Copper Alloys, Bronze, Gunmetal, Brass, Aluminium, Steel).
- Cable Lugs, Terminals, Connectors, Ferrules, Splices, Crimping Tools.
- Bimetallic Lugs & Bimetallic Connectors.
- Brass Cable Glands, Cable Gland Kits, Line Taps, Split Bolt Connectors (Aluminium & Stainless Steel Available)
- Cable Accessories : Rigid & Flexible Conduit Pipes - Hoses, Cable Tray, Channels, Trunking & Accessories in Galvanised Steel, PVC, GI, FRP, PVC Covered Steel.
- Conduit Accessories in Steel, GI, PVC, Brass, Aluminium. Switch Socket Boxes, KO Boxes, Adaptable Boxes.
- Copper Braids, Stranded & Bunched Conductor, Insulated with PVC, Kraft-Paper Teflon, etc.

Our Products follow widely accepted International Standards like British Standard, European Norm (BS EN 62350), BS 6651, UL 467, DIN, UL, NFC & IS (Indian Standard).



EARTHING & LIGHTNING PROTECTION SYSTEM




CABLE GLANDS & ACCESSORIES



CABLE TERMINALS / LUGS & CONNECTORS



BIMETALLIC TERMINAL LUGS & CONNECTORS




COPPER BRAIDS & FLEXIBLE CONNECTORS



FLEXIBLE CONDUITS & CONDUIT ACCESSORIES



STRUT / CABLE TRAY / TRUNKING & ACCESSORIES



(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

SUPER IMPEX. Tel : + 91 22 61485400. **Fax:** + 91 22 66341933. **Email :** info@superimpex.com **URL :** www.superimpex.com

FLEXIBLE CONDUIT PIPE

PVC COATED GALVANISED STEEL FLEXIBLE STEEL CONDUIT (As per BS 731 Part I)	01
FLEXIBLE STEEL CONDUIT ELECTRO GALVANISED	01
LIQUID TIGHT FLEXIBLE PVC COATED GALVANISED CONDUIT	01
STEEL RIGID CONDUIT	02
GI RIGID CONDUIT (AS PER BS 4568 & BS 31)	02
EMT TYPE STEEL FLEXIBLE CONDUIT	02
PVC ROUND CONDUITS	02
PVC FLEXIBLE CORRUGATED HOSE PIPE / METAL (OR PVC) REINFORCED / DUCT HOSE	03
FLEXIBLE CORRUGATED PVC CONDUIT	03

BRASS ADAPTORS & CONNECTORS

ONE PIECE ADAPTOR / CONNECTOR MALE ADAPTOR / FEMALE ADAPTOR	04
TWO PIECE ADAPTOR / CONNECTOR BRASS 2 PIECE ADAPTOR :MALE / FEMALE ADAPTOR	04
NICKEL PLATED	
BRASS BUSHES : MALE / FEMALE	04
BOX TYPE CONNECTOR	04
SWIVEL TYPE CONNECTOR	04
PIPE BENDING MACHINE	04
BEND	04
BRASS STOP PLUGS	04
THREAD CONVERTOR	04
REDUCER	05
ENLARGER	05
IRON & STEEL CONDUIT FITTINGS	06
CIRCULAR JUNCTION BOXES	06
LOOPING BOX	06
CIRCULAR BOX LID / COVER	06

METAL CONDUIT FITTINGS

BENDS	06
SADDLES	06
COUPLING	07
DISTANCE / HOSPITAL SADDLES	07
FLANGED COUPLER	07
COVERS	07
ELBOWS	07
TEE	07
LOCK RING	07
REDUCER	07
HEXAGON LOCK NUT : BRASS / STEEL	07
DIN RAIL & LIPPED CHANNEL	08
ADAPTER	08
HOOKS & CRAMPETS	08
P-CLIP	08
CRAMPETS	08
CONDUIT UNIONS - CHAIN	08
NIPPLES - STANDARD STEEL	08

(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)


METAL CONDUIT FITTINGS

HOLDERS / CEILING ROSES	08
DP SWITCHES	08
ADAPTABLE BOXES (WATER PROOF)	09
WIRE CLIPS	09
PLASTIC BOXES FOR MCB	09
MCB BOXES - CONYCAL / SURFACE TYPE	09
SURFACE MOUNTING PVC SWITCH & SOCKET BOXES	09
PRE-GALVANISED SWITCH & SOCKET BOXES (WITH OR WITHOUT BRASS EARTH TERMINAL)	09
CABLE TRUNKING	10
STRUT CHANNEL	10
OTHER TYPES OF STRUT CHANNELS	10
CHANNEL NUTS	10
THREADED ROD	11
U CLAMP	11
CLEVIS CLAMP	11
NAIL CLAMP	11
D - SHACKLE HOOK	11
TURNBUCKLE HOOK	11
TERRY TOOL CLIP	11
NUT CLAMP WITH RUBBER & WITHOUT RUBBER	12
SPRINKLER CLAMP	12
PROFILE CHANNEL CABLE CLAMPS	12
ADAPTABLE BOXES - METAL	12
BLANKING PLUG / LOCKNUT	13
THREADED NYLON FLEXIBLE CABLE GLANDS	13
CORRUGATED PIPE GLANDS	13
STRAIGHT NYLON CABLE GLANDS (For Open Ended Cable Entry)	13
DUAL PIPE STEEL RE - INFORCED PIPE GLANDS	15
SPIRAL NYLON CABLE GLANDS	15
PVC CIRCULAR JUNCTION BOXES	16
PVC CONDUIT ACCESSORIES	16

PVC COATED GALVANISED STEEL FLEXIBLE STEEL CONDUIT (As per BS 731 Part I)

PROPERTIES	: High degree of safety
COLOUR	: Black (Grey on request)
OPERATING TEMPERATURE RANGE	: -15°C to +80°C
CONSTRUCTION	: Helically wound, galvanised steel core with enhanced low acid PVC covering.
FEATURES	: Highly flexible & largely resistance to oil, acid and sea water.
IP RATING	: IP 54 & IP 65
PACKING	: In spool


Conduit Size (mm)	Size (Inches)	Std Packing in Mtr	Product Code
12	1/2"	25/30	AFI - 12
16	5/8"	25/30	AFI - 16
20	3/4"	25/30	AFI - 20
25	1"	25/30	AFI - 25
32	1 1/4"	15/20	AFI - 32
40	1 1/2"	15	AFI - 40
50	2"	10	AFI - 50



FLEXIBLE STEEL CONDUIT ELECTRO GALVANISED

MATERIAL	: Galvanised steel
PROPERTIES	: Strong protection for cable, compression and impact resistance.
TEMPERATURE RANGE	: -50°C to +200°C
CONSTRUCTION	: Highly flexible steel conduit offers good mechanical protection Helically coiled, Square locked type to BS 731 :1952.
IP RATING	: IP 40
FEATURES	: Excellent crush & pull of characteristic. Making it ideal for flexing, bending & vibrating application.

Conduit Size (mm)	Size (Inches)	Std Packing in Mtr	Product Code
12	1/2"	25/30	AF - 12
16	5/8"	25/30	AF - 16
20	3/4"	25/30	AF - 20
25	1"	25/30	AF - 25
32	1 1/4"	15/20	AF - 32
40	1 1/2"	15	AF - 40
50	2"	10	AF - 50



LIQUID TIGHT FLEXIBLE PVC COATED GALVANISED CONDUIT

PROPERTIES	: Outstanding mechanical strength with excellent flexible capabilities
OPERATING TEMPERATURE RANGE	: -20°C to +105°C
CONSTRUCTION	: Helically wound, galvanised steel core with external PVC sheathing.
COLOUR	: Black, Grey, Orange (other on request)
IP RATING	: IP 66 + IP 67 + IP 68
FEATURES	: Ideal for application where continual flexing and vibrations occur.

Conduit Size (mm)	Size (Inches)	Std Packing in Mtr	Product Code
12	1/2"	25/30	AFLI - 12
16	5/8"	25/30	AFLI - 16
20	3/4"	25/30	AFLI - 20
25	1"	25/30	AFLI - 25
32	1 1/4"	15/20	AFLI - 32
40	1 1/2"	15	AFLI - 40
50	2"	10	AFLI - 50




*All Above Products Available In mm, Inches Are Available In PG & NPT Threads On Request.

(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

STEEL RIGID CONDUIT

EMT (Electrical Metallic Conduit) / IMC (INTER MEDIATE METAL CONDUIT)

Conduit Size (Inches)	Product Code	
1/2"	AEMT - 12	AIMC - 12
5/8"	AEMT - 16	AIMC - 16
3/4"	AEMT - 20	AIMC - 20
1"	AEMT - 25	AIMC - 25
1 1/4"	AEMT - 32	AIMC - 32
1 1/2"	AEMT - 40	AIMC - 40
2"	AEMT - 50	AIMC - 50



* Available In Galvanised & Hot Dip Galvanised, Both Inside And Outside.

* Imc (intermediate Metal Conduit) Is Thicker Than Electrical Metallic Tubing, Threaded On Both Ends

GI RIGID CONDUIT (AS PER BS 4568 & BS 31)

As Per BS 4568		As Per BS 31	
Conduit Size (mm)	Product Code	Conduit Size (Inches)	Product Code
12	ABBSC - 12	1/2"	ABSC - 12
16	ABBSC - 16	5/8"	ABSC - 16
20	ABBSC - 20	3/4"	ABSC - 20
25	ABBSC - 25	1"	ABSC - 25
32	ABBSC - 32	1 1/4"	ABSC - 32
40	ABBSC - 40	1 1/2"	ABSC - 40
50	ABBSC - 50	2"	ABSC - 50



EMT TYPE STEEL FLEXIBLE CONDUIT

MATERIAL : Hot Deep Galvanised Steel

SIZE : 1/2" to 2"

APPLICATION : Wiring in Elevators, Hoist ways & Escalators, Leads of Motors.

Conduit Size (mm)	Conduit Size (Inches)	Std Packing Length Per Roll	Product Code
12	1/2"	25/30	AFE - 12
16	5/8"	25/30	AFE - 16
20	3/4"	25/30	AFE - 20
25	1"	25/30	AFE - 25
32	1 1/4"	15/20	AFE - 32
40	1 1/2"	15	AFE - 40
50	2"	10	AFE - 50



PVC ROUND CONDUITS

MATERIAL : PVC

COLOURS : Black / White

STANDARD LENGTH : 3 Meter

Size	Product Code		
	Light Duty	Medium Duty	Heavy Duty
16mm			
20mm			
25mm			
32mm			
40mm			
50mm			



(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

PVC FLEXIBLE CORRUGATED HOSE PIPE / METAL (OR PVC) REINFORCED / DUCT HOSE

PROPERTIES

: Smooth Inner Surface, Flexible, Twistable In Vertical And Axial Direction, Break Proof , Weather Proof And Resistant To Chemicals, Grease, Spindle And Machinery Oils, Applicable For Protecting Installations Under Any Conditions.

OPERATING TEMPERATURE RANGE : -5°C to +60°C

CONSTRUCTIONS

: Manufactured with hardened PVC spiral and soft PVC Wall

COLOUR

: Grey

BENDING RADIUS

: 2 x I.D of tube

Conduit Size (mm)	Product Code
12	ASF - 12
16	ASF - 16
20	ASF - 20
25	ASF - 25
32	ASF - 32
40	ASF - 40
50	ASF - 50



FLEXIBLE CORRUGATED PVC CONDUIT

FEATURES

: Non-flammable, non-corrosive, flexible and easy to install. Time and money saver when used.

MATERIAL

: PVC

COLOUR

: White or Black

PROPERTIES

: Tensile strength : 450-500 kg/cm²

Resistance to tearing : 400kg/cm²

Hardness : 950kg/cm²

Di-electric strength : 40kv/mm

OPERATING TEMPERATURE RANGE : -5°C to + 60°C

Conduit Size (mm)	Std Packing In Mtr.	Product Code
16	50	APF - 16
20	50	APF - 20
25	50	APF - 25
32	25	APF - 32
40	15	APF - 40
50	10	APF - 50




ONE PIECE ADAPTOR / CONNECTOR MALE ADAPTOR / FEMALE ADAPTOR

MATERIAL : Brass

FINISH : Brass Natural Finish

Conduit Size (mm)	Product Code	
	Male Adaptor	Female Adaptor
12	AAF - 12	AAFE - 12
16	AAF - 16	AAFE - 16
20	AAF - 20	AAFE - 20
25	AAF - 25	AAFE - 25
32	AAF - 32	AAFE - 32
40	AAF - 40	AAFE - 40
50	AAF - 50	AAFE - 50



BOX TYPE CONNECTOR

MATERIAL : Brass

FINISH : Nickel Plated

Conduit Size (mm)	Product Code
12	AAB - 12
16	AAB - 16
20	AAB - 20
25	AAB - 25
32	AAB - 32
40	AAB - 40
50	AAB - 50




(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

TWO PIECE ADAPTOR / CONNECTOR BRASS 2 PIECE ADAPTOR : MALE / FEMALE ADAPTOR NICKEL PLATED

MATERIAL : Brass
FINISH : Nickel Plated

Conduit Size (mm)	Product Code	
	Male Adaptor	Female Adaptor
12	AAFI - 12	AAFIF - 12
16	AAFI - 16	AAFIF - 16
20	AAFI - 20	AAFIF - 20
25	AAFI - 25	AAFIF - 25
32	AAFI - 32	AAFIF - 32
40	AAFI - 40	AAFIF - 40
50	AAFI - 50	AAFIF - 50



SWIVEL TYPE CONNECTOR

MATERIAL : Brass
FINISH : Nickel Plated


Conduit Size (mm)	Product Code
12	AAFS - 12
16	AAFS - 16
20	AAFS - 20
25	AAFS - 25
32	AAFS - 32
40	AAFS - 40
50	AAFS - 50



BRASS BUSHES : MALE / FEMALE

MATERIAL : Brass
FINISH : Nickel Plated

Conduit Size (mm)	Product Code		
	Male Bush - Small	Male Bush - Long	Female Bush
20	ASMB - 20	ASLB - 20	ABFB - 20
25	ASMB - 25	ASLB - 25	ABFB - 25
32	ASMB - 32	ASLB - 32	ABFB - 32
40	ASMB - 40	ASLB - 40	ABFB - 40
50	ASMB - 50	ASLB - 50	ABFB - 50



BRASS STOP PLUGS



THREAD CONVERTOR



BEND



PIPE BENDING MACHINE



(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

REDUCER

MATERIAL : Brass
FINISH : Nickel plated



Size (Metric x PG) Thread d1 (out.) x Thread d2 (inn)	Product Code
M 16 x PG 7	ARD - 167
M 20 x PG 9	ARD - 209
M 25 x PG 11	ARD - 2511
M 25 x PG 13.5	ARD - 25135
M 25 x PG 16	ARD - 2516
M 32 x PG 16	ARD - 3216
M 32 x PG 21	ARD - 3221
M 40 x PG 21	ARD - 4021
M 50 x PG 29	ARD - 5029
M 63 x PG 36	ARD - 6336
M 63 x PG 42	ARD - 6342

Size (PG x Metric) Thread d1 (out.) x Thread d2 (inn)	Product Code
PG 9 x M 16	ARD - 916
PG 11 x M 20	ARD - 1120
PG 13 x M 20	ARD - 1320
PG 16 x M 20	ARD - 1620
PG 21 x M 20	ARD - 2120
PG 21 x M 25	ARD - 2125
PG 29 x M 25	ARD - 2925

Size (Metric x Metric) Thread d1 (out.) x Thread d2 (inn)	Product Code
M 16 x M 12	ARD - 1612
M 20 x M 12	ARD - 2012
M 20 x M 16	ARD - 2016
M 25 x M 16	ARD - 2516
M 25 x M 20	ARD - 2520
M 32 x M 20	ARD - 3220
M 32 x M 25	ARD - 3225
M 40 x M 25	ARD - 4025
M 40 x M 32	ARD - 4032
M 50 x M 32	ARD - 5032
M 50 x M 40	ARD - 5040
M 63 x M 40	ARD - 6340
M 63 x M 50	ARD - 6350

Size (PG x PG) Thread d1 (out.) x Thread d2 (inn)	Product Code
PG 9 x PG 7	ARD - 97
PG 11 x PG 7	ARD - 117
PG 11 x PG 9	ARD - 119
PG 13.5 x PG 7	ARD - 1357
PG 13.5 x PG 9	ARD - 1359
PG 13.5 x PG 11	ARD - 13511
PG 16 x PG 7	ARD - 167
PG 16 x PG 9	ARD - 169
PG 16 x PG 11	ARD - 1611
PG 16 x PG 13.5	ARD - 16135
PG 21 x PG 11	ARD - 2111
PG 21 x PG 13.5	ARD - 21135
PG 21 x PG 16	ARD - 2116
PG 29 x PG 16	ARD - 2916
PG 29 x PG 21	ARD - 2921
PG 36 x PG 21	ARD - 3621
PG 36 x PG 29	ARD - 3629
PG 42 x PG 29	ARD - 4229
PG 42 x PG 36	ARD - 4236
PG 48 x PG 36	ARD - 4836
PG 48 x PG 42	ARD - 4842

ENLARGER

MATERIAL : Brass
FINISH : Nickel plated



Size (Metric x Metric) Thread d1 (out.) x Thread d2 (inn)	Product Code
M 12 x M 16	AEN - 1216
M 16 x M 20	AEN - 1620
M 20 x M 25	AEN - 2025
M 25 x M 32	AEN - 2532
M 25 x M 40	AEN - 2540
M 32 x M 40	AEN - 3240
M 32 x M 50	AEN - 3250
M 40 x M 50	AEN - 4050
M 50 x M 63	AEN - 5063

Size (Metric x PG) Thread d1 (out.) x Thread d2 (inn)	Product Code
M 12 x PG 7	AEN - 127
M 16 x PG 9	AEN - 169
M 20 x PG 11	AEN - 2011
M 20 x PG 13.5	AEN - 20135
M 20 x PG 16	AEN - 2016
M 25 x PG 21	AEN - 2521
M 32 x PG 29	AEN - 3229
M 40 x PG 36	AEN - 4036
M 50 x PG 42	AEN - 5042
M 63 x PG 48	AEN - 6348

Size (PG x PG) Thread d1 (out.) x Thread d2 (inn)	Product Code
PG 7 x PG 9	AEN - 79
PG 9 x PG 11	AEN - 911
PG 9 x PG 13.5	AEN - 9135
PG 11 x PG 13.5	AEN - 11135
PG 11 x PG 16	AEN - 1116
PG 13 x PG 16	AEN - 1316
PG 13.5 x PG 21	AEN - 13521
PG 16 x PG 21	AEN - 1621
PG 21 x PG 29	AEN - 2129
PG 29 x PG 36	AEN - 2936
PG 36 x PG 42	AEN - 3642
PG 42 x PG 48	AEN - 4248

(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

IRON & STEEL CONDUIT FITTINGS

To BS 4568 part 21970 (imperial size to BS 31 1940)

CIRCULAR JUNCTION BOXES STANDARD SMALL ROUND

Description	Size mm	Product Code
Terminal (1 way)	20mm	AJB - 1
	25mm	AJB - 2
Back Outlet	20mm	AJB - 3
	25mm	AJB - 4
Terminal and Back Outlet (1 way)	20mm	AJB - 5
	25mm	AJB - 6
Through (2 way)	20mm	AJB - 7
	25mm	AJB - 8
Through and Back Outlet (2 way)	20mm	AJB - 9
	25mm	AJB - 10
Angle (2 way)	20mm	AJB - 11
	25mm	AJB - 12
Angle and Outlet (2 way)	20mm	AJB - 13
	25mm	AJB - 14
Tangent Through (2 way)	20mm	AJB - 15
	25mm	AJB - 16
Tangent Angle (2 way)	20mm	AJB - 17
	25mm	AJB - 18
Tangent Tee (3 way)	20mm	AJB - 19
	25mm	AJB - 20
Branch (3 way)	20mm	AJB - 21
	25mm	AJB - 22
Twin Terminal (2 way)	20mm	AJB - 23
	25mm	AJB - 24
Tee (3 way)	20mm	AJB - 25
	25mm	AJB - 26
Tree and Back outlet (3 way)	20mm	AJB - 27
	25mm	AJB - 28
Twin Through (4way)	20mm	AJB - 29
	25mm	AJB - 30
Intersection (4 way)	20mm	AJB - 31
	25mm	AJB - 32
Intersection and Back outlet	20mm	AJB - 33
	25mm	AJB - 34



LARGE ROUND, SCREWED

Description	Type	Size	Product Code
Terminal	○	32mm	AJB - 35
Through	○	32mm	AJB - 36
Angle	○	32mm	AJB - 37
Tee	○	32mm	AJB - 38
Tangent Tee	○	32mm	AJB - 39
Intersection	○	32mm	AJB - 40
Terminal	○	1 1/2"	AJB - 41
Through	○	1 1/2"	AJB - 42
Angle	○	1 1/2"	AJB - 43
Tee	○	1 1/2"	AJB - 44
Intersection	○	1 1/2"	AJB - 45

Quote Finish When Ordering
G = Galvanised / B = Black Enamelled

LOOPING BOX

Description	Type	Size	Product Code
No Clearance Outlet	○	Plain	AJL - 1
1 Hole	⊙	20mm	AJL - 2
2 Hole	⊕	20mm	AJL - 3
3 Hole	*⊕	20mm	AJL - 4
4 Hole	⊗	20mm	AJL - 5



* Dimension 32 mm Deep. Fixing Centre at 50.8 (2%)

CIRCULAR BOX LID / COVER

CIRCULAR BOX LID/COVER

Type	Product Code
Circular Box Lid	AJCL - 1



* All Above Products Are Available In Inches Size.

BENDS

NORMAL BEND - SOLID

Size (mm)	Product Code
20	ABS - 20
25	ABS - 25
32	ABS - 32
40	ABS - 40
50	ABS - 50



INSPECTION BEND

Size (mm)	Product Code
20	ABIS - 20
25	ABIS - 25
32	ABIS - 32
40	ABIS - 40
50	ABIS - 50

SADDLES

HALF SADDLE / PLAIN SADDLE / SPACER BAR SADDLE

Size (mm)	Product Code		
	Half Saddle	Plain	Spacer Bar
20	ASHX - 20	ASDX - 20	ASPX - 20
25	ASHX - 25	ASDX - 25	ASPX - 25
32	ASHX - 32	ASDX - 32	ASPX - 32
40	ASHX - 40	ASDX - 40	ASPX - 40
50	ASHX - 50	ASDX - 50	ASPX - 50




(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

COUPLING

SOLID

Size (mm)	Product Code
20	ACOX - 20
25	ACOX - 25
32	ACOX - 32
40	ACOX - 40
50	ACOX - 50



DISTANCE / HOSPITAL SADDLES

Size (mm)	Product Code
20	ADSX - 20
25	ADSX - 25
32	ADSX - 32



FLANGED COUPLER

* Flanged Coupling Will Be Complete With Brass Bush and Lead Washer.

Size (mm)	Product Code
20	AFLX - 20
25	AFLX - 25
32	AFLX - 32
40	AFLX - 40



COVERS

HOOK PLATE

Type	Product Code
Hook Plate/ Steel	AJHP - 1



DOOM COVER (SCREWED)

Size (mm)	Product Code
20	ASDC - 20
25	ASDC - 25

ELBOWS

SOLID ELBOW

Size (mm)	Product Code
20	AES - 20
25	AES - 25
32	AES - 32
40	AES - 40
50	AES - 50



INSPECTION ELBOW

Size (mm)	Product Code
20	AEIS - 20
25	AEIS - 25
32	AEIS - 32
40	AEIS - 40
50	AEIS - 50

TEE

SOLID TEE

Size (mm)	Product Code
20	ATX - 20
25	ATX - 25

INSPECTION TEE

Size (mm)	Product Code
20	ATIX - 20
25	ATIX - 25
32	ATIX - 32
40	ATIX - 40
50	ATIX - 50



LOCK RING

Size (mm)	Product Code
20	ASR - 20
25	ASR - 25
32	ASR - 32



REDUCER

SCREWED IRON OR STEEL

Size (mm)	Product Code
20 x 16	AR - 2016
25 x 16	AR - 2516
25 x 20	AR - 2520
32 x 16	AR - 3216
32 x 20	AR - 3220
32 x 25	AR - 3225
1 1/2" x 20	AR - 3820
1 1/2" x 25	AR - 3825
1 1/2" x 32	AR - 3832
2" x 35	AR - 5035
2" x 32	AR - 5032
2" x 1 1/2"	AR - 5038



HEXAGON LOCK NUT

Size (mm)	Product Code	
	Steel	Brass
20	ALNX - 20	AGA - LN - 20
25	ALNX - 25	AGA - LN - 25
32	ALNX - 32	AGA - LN - 32
40	ALNX - 40	AGA - LN - 40
50	ALNX - 50	AGA - LN - 50



(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

DIN RAIL & LIPPED CHANNEL

TYPE : Plain / Dotted /
Punched & Slotted

SIZES : 35mm x 7.5mm /
15mm x 5.5mm /
35mm x 15mm


G TYPE : 32mm x 15mm
x 9mm



ADAPTER

STEEL (ZINC PLATED) MALE / FEMALE

Size (mm) Male x Female	Product Code
3/4" x 20	AA - 20F
20 x 3/4"	AA - 20M
1" x 25	AA - 25F
25 x 1"	AA - 25M
1 1/4" x 32	AA - 32F
32 x 1 1/4"	AA - 32M



HOOKS & CRAMPETS

HOOKS

Size (mm)	Product Code
20	AMH - 20



CRAMPETS

Size (mm)	Product Code
20	ACT - 20
25	ACT - 25
32	ACT - 32
40	ACT - 40
50	ACT - 50



P-CLIP

SIZE : Dia - 5mm - 25mm

MATERIAL : Stainless Steel And Galvanised Steel

APPLICATION : Used For Fixing Pipes, Cables And Hoses


FEATURES : Removable Rubber Lined In 'p' Clips

Size (mm)	Product Code	
	Stainless Steel	Galvanised Steel
5	AIP - S5	AIP - G5
6	AIP - S6	AIP - G6
8	AIP - S8	AIP - G8
10	AIP - S10	AIP - G10
13	AIP - S13	AIP - G13
16	AIP - S16	AIP - G16
21	AIP - S21	AIP - G21
25	AIP - S25	AIP - G25
32	AIP - S32	AIP - G32
40	AIP - S40	AIP - G40
50	AIP - S50	AIP - G50
63	AIP - S63	AIP - G63



CONDUIT UNIONS - CHAIN

Type	Product Code
Straight Link	ACUX - 20



NIPPLES - STANDARD STEEL

Size (mm)	Product Code
20	ANI - 20
25	ANI - 25
32	ANI - 32
40	ANI - 40
50	ANI - 50



DP SWITCHES

Type	Product Code
Art No 602 - Surface Type	
Art No 603 - Surface Type	
Art No 642 Conycal Type	
Art No 643 Conycal Type	
Art No 0653 50A Main Switch	
Art No 0703 75A Main Switch	
Art No 702	
Art No 742	



HOLDERS / CEILING ROSES


B - 22 Angle Holder (PC)

B - 22 Batten Holder (PC)

E - 27 Batten Holder (PC)

E - 27 Angle Holder (PC)

Ceiling Rose (PC)



EMT CONDUIT FITTINGS

EMT - BEND



EMT STEEL CONNECTOR



EMT DIE - CAST CONNECTORS



STEEL CONDUIT BOXES



CONNECTORS



FLEXIBLE CONNECTORS




EMT - SADDLE



EMT STEEL COUPLING



EMT DIE - CAST COUPLING




HANGER CLAMP



CABLE TRAYS & TRAY ACCESSORIES

- TYPE** : Ladder Type, Solid Bottom
 Perforated Normal, Return Flange Trunking
- CABLE TRAY ACCESSORIES** : Bend, Tee, Reducer, Cross Vertical Bend,
 Coupler Plate, Fasteners, Tray Covers




(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

STRUT CHANNEL

MATERIAL : Steel

FINISH : Zinc Plated / Pre - Galvanised / Hot Deep Galvanised

Size (Inches)	Thickness	Length (Meter)	Product Code	
			41 X 41	41 X 21
41 x 41 / 41 x 21	1.5 mm	3.0	AST - 41315	AST - 21315
	1.5 mm	6.0	AST - 41615	AST - 21615
	2.0 mm	3.0	AST - 41320	AST - 21320
	2.0 mm	6.0	AST - 41620	AST - 21620
	2.5 mm	3.0	AST - 41325	AST - 21325
	2.5 mm	6.0	AST - 41625	AST - 21625



* Also available in Inches

Quote Type & Finish when ordering :

TYPE : P = Plain

S = Slotted

FINISH : ZP = Zinc Plated

PG = Pre Galvanised

HDG = Hot Dip Galvanised

THREADED ROD


MATERIAL : Steel

FINISH : Zinc Plated

MATRIC THREAD : M6, M8, M10, M12, M16

INCH THREAD : 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"

STANDARD LENGTH : 1 Mtr, 1.5 Mtr, 2 Mtr, 3 Mtr, 6 Ft, 8 Ft, 10 Ft



CHANNEL NUTS

PLAIN NUT / SHORT SPRING NUT / LONG SPRING NUT

MATERIAL : Steel, SS 304, SS 316

FINISH : Zinc Plated / Hot Dip Galvanised / Yellow Passivated

MATRIC THREAD : M6, M8, M10, M12, M16

INCH THREAD : 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"



CABLE TRUNKING

MATERIAL : PVC

* Standard White Colour

* Light Weight

* Easy To Carry And Handle


* Non Corrosive & Resistant To Most Chemicals

* Maintenance Free

* Very High Impact Strength

* Fast And Easy Installation


Size (mm)	Standard Length	Internal Cross Section Area mm	Product Code
16 x 16	2.9	161	ATX - 1616
25 x 16	2.9	265	ATX - 2516
38 x 16	2.9	443	ATX - 3816
38 x 25	2.9	748	ATX - 3825
50 x 50	2.9	710	ATX - 5050
75 x 50	2.9	2090	ATX - 7550
75 x 75	2.9	3900	ATX - 7575
100 x 50	2.9	5600	ATX - 1050
100 x 100	2.9	9800	ATX - 1010



(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

ADAPTABLE BOXES (WATER PROOF)

Round	Square
50 x 50	80 x 80 x 40
60 x 35	80 x 80 x 50
80 x 40	85 x 85 x 50
80 x 50	100 x 100 x 50
85 x 50	100 X 100 X 70
	150 X 110 X 70
	150 X 150 X 70
	200 X 100 X 70
	200 X 155 X 80
	240 X 190 X 90
	255 X 200 X 80
	300 X 220 X 120
Square	
4" x 4" x 2"	
4" x 4" x 3"	
6" x 4" x 3"	
6" x 6" x 3"	
9" x 9" x 3"	
12" x 9" x 4"	



WIRE CLIPS

Clip Sizes	Nail Sizes	Product Code
3	16.5 x 1.8	
4	16.5 x 1.8	
5	16.5 x 1.8	
6	16.5 x 1.8	
7	20.0 x 1.8	
8	20.0 x 1.8	
9	20.0 x 1.8	
10	25.0 x 2.0	
12	30.0 x 2.0	
14	30.0 x 2.5	
16	40.0 x 2.5	



U CLAMP

FEATURES : Steel
FINISH : Zinc Plated

Size Inches	Product Code
1/2"	AUCL - 1/2"
3/4"	AUCL - 3/4"
1"	AUCL - 1"
1 1/4"	AUCL - 1.1/4"
1 1/2"	AUCL - 1.1/2"
2"	AUCL - 2"
2 1/2"	AUCL - 2.1/2"
3"	AUCL - 3"
4"	AUCL - 4"
6"	AUCL - 6"



NUT CLAMP WITH RUBBER & WITHOUT RUBBER

APPLICATION : Can Used In Vertical & Horizontal Installations With steel & Pvc Pipes.
FEATURE W/O RUBBER : Welded Dual Nut M8 / M10 With M6 Side Screws With Plastic Washers
FEATURE WITH RUBBER : Welded Dual Nut M8 / M10 With Epdm Rubber Lining
FINISH : Electro Galvanised

Size (Inches)	Product Code	
	W/O Rubber	With Rubber
1/2"	APSL - 12	ARSC - 12
3/4"	APSL - 34	ARSC - 34
1"	APSL - 1	ARSC - 1
1-1/4"	APSL - 114	ARSC - 114
1-1/2"	APSL - 112	ARSC - 112
2"	APSL - 2	ARSC - 2
2-1/2"	APSL - 212	ARSC - 212
3"	APSH - 3	ARSC - 3
4"	APSL - 4	ARSC - 4
5"	APSL - 5	ARSC - 5
6"	APSL - 6	ARSC - 6
8"	APSL - 8	ARSC - 8



(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

CLEVIS CLAMP

MATERIAL : Steel

FINISH : Electro Galvanised / Black

Size (Inches)	Product Code
1/2"	ACL - 1/2"
3/4"	ACL - 3/4"
1"	ACL - 1"
1-1/4"	ACL - 1.1/4"
1-1/2"	ACL - 1.1/2"
2"	ACL - 2"
2-1/4"	ACL - 2.1/4"
2-1/2"	ACL - 2.1/2"
3"	ACL - 3"
3.1/2"	ACL - 3.1/2"
4"	ACL - 4"
5"	ACL - 5"
6"	ACL - 6"



NAIL CLAMP

FEATURES : Nail 6mm & 8mm Square / M-6 Side Screws

FINISH : Electro Galvanised

APPLICATION : Steel & PVC Pipes

Size (Inches)	Product Code
1/2"	ANC - 12
3/4"	ANC - 34
1"	ANC - 1
1-1/4"	ANC - 114
2-1/2"	ANC - 212
2"	ANC - 2
2-1/2"	ANC - 212
3"	ANC - 3
4"	ANC - 4
5"	ANC - 5
6"	ANC - 6
8"	ANC - 8



SPRINKLER CLAMP

FEATURES : Swivel Nut Is Knurled To Provide Gripping Surface

FINISH : Electro Galvanised

APPLICATION : Suspending Pipes In Fire Fighting System

Size (Inches)	Product Code
3/4"	ASPC - 34
1"	ASPC - 1
1-1/4"	ASPC - 114
2-1/2"	ASPC - 212
2"	ASPC - 2
2-1/2"	ASPC - 212
3"	ASPC - 3
4"	ASPC - 4
5"	ASPC - 5
6"	ASPC - 6
8"	ASPC - 8




PROFILE CHANNEL CABLE CLAMPS

MATERIAL : Mild Steel / Stainless Steel

FINISH : Zinc Plated / Electro Plated.

Size (Inches)	Product Code
1/2"	ACC - 1/2"
3/4"	ACC - 3/4"
1"	ACC - 1"
1-1/4"	ACC - 1.1/4"
1-1/2"	ACC - 1.1/2"
2"	ACC - 2"
2-1/4"	ACC - 2.1/4"
2-1/2"	ACC - 2.1/2"
3"	ACC - 3"
3.1/2"	ACC - 3.1/2"
4"	ACC - 4"
5"	ACC - 5"
6"	ACC - 6"



ADAPTABLE BOXES - METAL

MATERIAL : Pre Galv Steel

FINISH : Galvanised / Black / Hot Dip Galvanised / Powder Coated

Size (H x W x D)	Product Code
100 x 100 x 55	AAB 101055
150 x 150 x 55	AAB 151555
200 x 200 x 55	AAB 202055
250 x 250 x 55	AAB 252555
300 x 300 x 55	AAB 303055
350 x 350 x 55	AAB 353555
400 x 400 x 55	AAB 404055
100 x 100 x 75	AAB 101075
150 x 150 x 75	AAB 151575
200 x 200 x 75	AAB 202075
250 x 250 x 75	AAB 252575

Size (H x W x D)	Product Code
300 x 300 x 75	AAB 303075
350 x 350 x 75	AAB 353575
400 x 400 x 75	AAB 404075
100 x 100 x 100	AAB 101010
150 x 150 x 100	AAB 151510
200 x 200 x 100	AAB 202010
250 x 250 x 100	AAB 252510
300 x 300 x 100	AAB 303010
350 x 350 x 100	AAB 353510
400 x 400 x 100	AAB 404010



- * Other sizes available on request.
- * Rubber Gaskets available on request.
- * Available with & without knockouts.

(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

D - SHACKLE HOOK

MATERIAL : Steel
SIZE : 4mm to 32mm



TURNBUCKLE HOOK

MATERIAL : Steel
SIZE : 4mm to 20mm & 3/16" to 3/4"



TERRY TOOL CLIP

MATERIAL : MS Zinc Plated
SIZE : 16mm to 40mm
 Also Available With Plain Hole For 1/4" Bolt



STRAIGHT NYLON CABLE GLANDS (For Open Ended Cable Entry)

MATERIAL : Nylon
BODY : Polyamide 6.6
SEALING WASHER : PVC
COLOURS : Black

Size	Product Code
M 16	ANSCG - 16
M 20	ANSCG - 20
M 25	ANSCG - 25
M 32	ANSCG - 32



CORRUGATED PIPE GLANDS

MATERIAL : PPCP
COLOURS : Black / Grey

Size	Product Code
3/8"	ACP - 38
1/2"	ACP - 12
5/8"	ACP - 58
3/4"	ACP - 34
7/8"	ACP - 78
1"	ACP - 1
1-1/4"	ACP - 114
1-1/2"	ACP - 112
2"	ACP - 2



DUAL PIPE STEEL RE - INFORCED PIPE GLANDS

TYPE : PG & Metric Threads
COLOURS : Black / Grey

Size	Product Code
PG 9	ASRPG - 9
PG 11	ASRPG - 11
PG 13.5	ASRPG - 13.5
PG 16	ASRPG - 16
PG 21	ASRPG - 21
PG 29	ASRPG - 29
PG 36	ASRPG - 36
PG 42	ASRPG - 42
M 12	ASRPG - 12
M 16	ASRPG - 16
M 20	ASRPG - 20
M 25	ASRPG - 25
M 32	ASRPG - 32



SPIRAL NYLON CABLE GLANDS

TYPE : PG & Metric Threads
COLOURS : Black / Grey

Size	Product Code
PG 7	ANCG - 7
PG 9	ANCG - 9
PG 11	ANCG - 11
PG 13.5	ANCG - 13.5
PG 16	ANCG - 16
PG 21	ANCG - 21
M 12	ANCG - 12
M 16	ANCG - 16
M 20	ANCG - 20
M 25	ANCG - 25
M 32	ANCG - 32



BLANKING PLUG / LOCKNUT

MATERIAL : Polyamide.

TYPE : PG & Metric Threads (IP 54 / IP 68)

COLOURS : Black / Grey

Size	Product Code	
	Blanking Plug	Locknut
PG 7	ANBP - 7	ANLC - 7
PG 9	ANBP - 9	ANLC - 9
PG 11	ANBP - 11	ANLC - 11
PG 13.5	ANBP - 13.5	ANLC - 13.5
PG 16	ANBP - 16	ANLC - 16
PG 21	ANBP - 21	ANLC - 21
PG 29	ANBP - 29	ANLC - 29
PG 36	ANBP - 36	ANLC - 36
PG 42	ANBP - 42	ANLC - 42
PG 48	ANBP - 48	ANLC - 48

Size	Product Code	
	Blanking Plug	Locknut
M 12	ANBP - 12	ANLC - 12
M 16	ANBP - 16	ANLC - 16
M 20	ANBP - 20	ANLC - 20
M 25	ANBP - 25	ANLC - 25
M 32	ANBP - 32	ANLC - 32
M 40	ANBP - 40	ANLC - 40
M 50	ANBP - 50	ANLC - 50
M 63	ANBP - 63	ANLC - 63



THREADED NYLON FLEXIBLE CABLE GLANDS

MATERIAL : Nylon

BODY & SEALING : Polyamide 6.6 & EPDM

TYPE : PG & Metric Threads

COLOURS : Black / Grey & White


Size	Product Code
M 12	ANCG - 12
M 16	ANCG - 16
M 20	ANCG - 20
M 25	ANCG - 25
M 32	ANCG - 32

Size	Product Code
PG 7	ANCG - 7
PG 9	ANCG - 9
PG 11	ANCG - 11
PG 13.5	ANCG - 13.5
PG 16	ANCG - 16
PG 21	ANCG - 21
PG 29	ANCG - 29
PG 36	ANCG - 36
PG 42	ANCG - 42
PG 48	ANCG - 48



PLASTIC BOXES FOR MCB

Size
1 Pole
2 Pole
4 Pole
6 Pole



MCB BOXES - CONYCAL / SURFACE TYPE

Size
2 WAY
6 WAY
8 WAY
12 WAY
15 WAY
18 WAY
24 WAY
36 WAY



PRE-GALVANISED SWITCH & SOCKET BOXES (With or without Brass Earth Terminal)

Size (mm)	Product Code
3" x 3" x 16mm (Deep)	AGS - 01
3" x 3" x 25mm (Deep)	AGS - 02
3" x 3" x 35mm (Deep)	AGS - 03
3" x 6" x 25mm (Deep)	AGS - 04
3" x 6" x 35mm (Deep)	AGS - 05
3" x 3" x 47mm (Deep)	AGS - 06
3" x 6" x 47mm (Deep)	AGS - 07
3" x 6" x 35mm (Dual)	AGS - 08




SURFACE MOUNTING PVC SWITCH & SOCKET BOXES

**1 GANG / 2 GANG,
 SQUARE CORNER WITH BRASS THREADS**

COLOUR : White

Type	Product Code
1 Gang	APSM - 1
2 Gang	APSM - 2



(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

PVC CIRCULAR JUNCTION BOXES

Item Description	Size	Product Code	
		Regular Jn Box	Jn Box Deep
Terminal (1way)	20mm	ACFJBR1WT	
	25mm		
Terminal (2 Way)	20mm	ACFJBR2WT	
	25mm		
Terminal Angle (2 Way)	20mm	ACFJBR2WA	
	25mm		
Terminal Tee (3 Way)	20mm	ACFJBR3WT	
	25mm		
Intersection (4 Way)	20mm	ACFJBR4WT	
	25mm		
JUNCTION BOX SPECIAL			
Branch (2 Way - U)	20mm	ACFJBSU	-
	25mm		-
Branch (3 Way - Y)	20mm	ACFJBSY	-
	25mm		-
Branch (4 Way - H)	20mm	ACFJBSh	-
	25mm		-



PVC CONDUIT ACCESSORIES

MATERIAL : PVC

COLOURS : Black / White (Grey on request)

Item Description	Size	Product Code
Circular Lid (Used for standard circular JB)	20mm	ACF JBCL
	25mm	
Loop in Box	20mm	ACF JBLB
Circular Extension Ring	20mm/25mm	ACF RR
Round Tee	20mm/25mm	ACF RT
Normal Bend - Plain	20/25/32 mm	ACF PBF
	38/40/50mm	
Coupler	20/25/32 mm	ACF C
	38/40/50 mm	
Elbow - Round	20mm/25mm	ACF LBO
Reducer	20mm/25mm	ACF REDU
Saddle Strap	20/25/32 mm	ACF SS
	38/40/50 mm	
Spacer Bar Saddle	20/25/32mm	ACF SBS
	38/40/50mm	
Inspection Elbow	20mm/25mm	ACF I-LBO
Inspection Tee	20mm/25mm	ACF IT
	38mm/50mm	
Inspection Bends	20mm/25mm	ACF IBEN
Female Bush Adaptor	20/25/32mm	ACF FBA
	38/40/50mm	
Male Bush Adaptor	20mm/25mm	ACF MBA
Switch & Socket Boxes (Surface Mounted)	85x85x32 (1G)	ACF SSB
	145X85X32(2G)	
Spring Bending	20mm/25mm	
Fan Box	20mm/25mm	
Push Saddle	20mm/25mm	
Lid for Switch & Socket Boxes	85x85x32 (1G)	ACF SBL
	145X85X32(2G)	
Adaptable Boxes	75X75X50 mm	ACF ADB
	110x110x75mm	
	160x110x75mm	
	160x160x75mm	
	225x225x75mm	



(Any dimensional changes are purely the result of our endeavor to constantly improve the efficiency of the product)

SUPER IMPEX. Tel : + 91 22 61485400. **Fax:** + 91 22 66341933. **Email :** info@superimpex.com **URL :** www.superimpex.com

The logo for ACE, featuring the letters 'ACE' in a bold, blue, sans-serif font. The letters are underlined by two horizontal red bars.

SUPER IMPEX

AN ISO 9001 - 2008 COMPANY

ACE Bimetalliks India Pvt. Ltd.

305, Adhyaru Industrial Estate, Sun Mill Compound, Lower Parel.
Mumbai - 400013. India.

Tel : 91- 22 - 61485400 (20 Lines) , 91 - 22 - 24905100

Fax : 91 - 22 - 66341933 , 91 - 22 - 24905200

email : info@superimpex.com , super_impex@hotmail.com

www.superimpex.com